(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication: 12.01.2000 Bulletin 2000/02

(21) Application number: 99305391.7

(22) Date of filing: 07.07.1999

(51) Int Cl.7: **H02K 5/24**, H02K 5/22, H02K 7/065, G08B 6/00

(84) Designated Contracting States: AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE **Designated Extension States:** AL LT LV MK RO SI

(30) Priority: 10.07.1998 US 113884

(71) Applicant: Thomas & Betts International, Inc. Sparks, Nevada 89431 (US)

(72) Inventors:

 Pupklewicz, Edward J. Norristown, Pennsylvania (US)


· Wozniak, Bohdan P. Warrington, Pennsylvania (US)

(74) Representative: Howick, Nicholas Kelth **CARPMAELS & RANSFORD** 43 Bloomsbury Square London WC1A 2RA (GB)

(54)Motor boot for a circuit board

The present invention provides a motor boot for (57)mechanically and electrically connecting a motor to a circuit board and includes a vibrational damping housing constructed of elastomeric material. The housing has a slot formed therein and a receptacle for slidably receiving and releasbly securing the motor therein by interference fit. The receptacle includes a cut-out in fluid flow communication with the slot for receiving the electrical pad of the motor. A vibrational damping connector dis-

posed in the slot and contacts the pad of the motor thereby creating electrical communication between the motor and circuit board. The connector is constructed of an electrically conductive elastomeric material, absorbs mechanical energy of the motor, transfers electrical energy of the motor to the circuit board. The connector is integrally formed with the housing thereby making the motor boot of one piece construction or is slidably received and releasbly secured within the slot by interference fit.



10

15

munication between the motor and circuit board.

- 2. The motor boot of claim 1 wherein the connector is constructed of an electrically conductive elastomeric material.
- 3. A motor boot as claimed in claim 1 or claim 2 wherein the housing is a vibrational damping housing.
- The motor boot of any one of claims 1 to 3 wherein both the housing and connector are constructed of an elastomeric material for damping vibration of the motor.
- 5. The motor boot of any one of claims 1 to 4 wherein the connector is disposed in the housing via use of an adhesive.
- 6. The motor boot of any one of claims 1 to 5 wherein 20 the motor boot is connected to the circuit board by compression force being applied to the housing such that the connector abuts the contact.
- 7. The motor boot of any one of claims 1 to 6 further 25 including a slot disposed in the housing.
- 8. A motor boot for mechanically and electrically connecting a motor to a circuit board having an electrical calcontact and the motor having an electrical pad and a nob disposed thereon, the motor boot comprising:

a vibrational damping housing constructed of elastomeric material, U-shaped, and including 35 a first support leg with a slot disposed therein, a second support leg spaced apart from the first support leg, and a base integrally formed with the first and second support legs;


a substantially cylindrical receptacle formed in the housing for slidably receiving and releasably securing the motor therein by interference fit, the receptacle including a cut-out in fluid flow communication with the slot for receiving the electrical pad of the motor therein, and a port for receiving the nob of the motor therein;


a vibrational damping connector disposed in the slot and contacting the electrical pad of the motor and the contact when the motor boot is connected to the circuit board, thereby creating electrical communication between the motor and circuit board, the connector being constructed of an electrically conductive elastomeric material; and


wherein the motor boot is connected to the circuit board by compression force being applied to the housing such that the connector abuts the contact.

- The motor boot of claim 7 or claim 8 wherein the connector is slidably received and releasably secured within the slot by interference fit.
- 10. The motor boot of any one of claims 1 to 9 wherein the connector is integrally formed with the housing thereby making the motor boot of one piece construction.

4









EUROPEAN SEARCH REPORT

Application Number EP 99 30 5391

Category	Citation of document with ind of relevant passa		Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CL7)
Υ	US 5 657 205 A (TAMA 12 August 1997 (1997 * column 2, line 42 * figure 8 *	1,3,8,10	H02K5/24 H02K5/22 H02K7/065 G08B6/00	
Y	EP 0 817 551 A (MOLE 7 January 1998 (1998 * column 3, line 22 * figure 1 *	1,3,8,10		
X,P	US 5 898 248 A (NISH 27 April 1999 (1999- * figure 5 *	IIKAWA KENICHI ET AL)	1,8	
X,P	US 5 898 364 A (GOTO 27 April 1999 (1999- * abstract *		1,8	
A	US 5 769 382 A (MOR) 23 June 1998 (1998-			TECHNICAL FIELDS
A	PATENT ABSTRACTS OF vol. 1998, no. 08, 30 June 1998 (1998-68 JP 10 084649 A (0LTD), 31 March 1998	D6-30) PTEC DAI ICHI DENKO CO		HO2K G08B HO5K
	The present search report has			
	Place of swarch	Date of completion of the search		Examiner
	THE HAGUE	26 October 1999	Rai	mos, H
Y:p dx A:16	CATEGORY OF CITED DOCUMENTS articutarly relevant if taken alone articularly relevant if combined with anotocument of the same calegory echnological background on-written disclosure	E : earter patent after the filing ther D : document cite L : document cite	ed in the application of for other reasons	oksned ön, or n

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 99 30 5391

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

26-10-1999

Patent document cited in search report		Publication date	Patent family member(s)		Publication date		
US	5657205	A 12-08-1997	12-08-1997	JP JP AU AU CN GB	8051286 697830 2840995	B A B A A,B A,B	
ΕP	0817551	A	07-01-1998	US	5749737	A	12-05-1998
US	5898248	A	27-04-1999	JP CN	10108399 1186370		24-04-1998 01-07-1998
บร	5898364	A	27-04-1999	JP JP	2880963 10066291		12-04-1999 06-03-1998
US	5769382	A	23-06-1998	JP JP CN GB	2731732 8140298 1132955 2295056	A A.B	25-03-1998 31-05-1996 09-10-1996 15-05-1996
JP	10084649	Α	31-03-1998	NON			,

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82